

# ClubSpot 150 CT™

The ClubSpot 150 CT has the similar ultra compact effect luminaire as ClubSpot 160 CT, which includes colour wheel with 11 dichroic filters and static gobo wheel with 11 metal gobos, variable strobo effect, shutter and manual focus. The ClubSpot 150 CT achieves a high level of performance for clubs & bars and discotheques applications.



# Technical Specification

## Source

- Lamp: Compact discharge lamp
- Base: G12
- Approved model: Philips CDM-SA/T 150/942
- Lamp: Compact discharge lamp
- Base: G12
- Approved model: Philips CDM-SA/T 150/942

## Optical system

- Objective: 19°
- Objective: 19°

## Electrical specification and connections

- Wiring options: EU model - 208/230/240 V, 50/60 Hz; US model - 100/120/208/230/240 V, 50/60 Hz
- Power consumption: 300 VA at 230 V/50 Hz
- Wiring options: EU model - 208/230/240 V, 50/60 Hz; US model - 100/120/208/230/240 V, 50/60 Hz
- Power consumption: 300 VA at 230 V/50 Hz

## Mechanical specification

- Height: 416 mm (16.4 ") - head in horizontal position
- Width: 326 mm (12.8 ")
- Depth: 362 mm (14.3 ")
- Height: 416 mm (16.4 ") - head in horizontal position
- Width: 326 mm (12.8 ")
- Depth: 362 mm (14.3 ")

## Thermal specification

- Maximum ambient temperature (Ta): 40 °C (104 °F)
- Maximum surface temperature: 80 °C (176 °F)
- Maximum ambient temperature (Ta): 40 °C (104 °F)
- Maximum surface temperature: 80 °C (176 °F)

## Static gobos

- Metal gobos - outside diameter: 26.9 mm, image diameter: 22.5 mm, aluminium, thickness: 0.5 mm

- Metal gobos - outside diameter: 26.9 mm, image diameter: 22.5 mm, aluminium, thickness: 0.5 mm

## Control and programming

- Protocol: USITT DMX-512
- Control channels: 6 or 8
- Bilt-in demo sequences
- Protocol: USITT DMX-512
- Control channels: 6 or 8
- Bilt-in demo sequences

## Electromechanical effects

- Colour wheel: 11 dichroic filters + open
- Static gobo wheel: 11 metal gobos + open
- Dimmer/Shutter: Full range dimming and variable strobe effect
- Colour wheel: 11 dichroic filters + open
- Static gobo wheel: 11 metal gobos + open
- Dimmer/Shutter: Full range dimming and variable strobe effect

## Rigging


- Via 2 Omega holders
- Via 2 Omega holders

# Gobos&Colours


## Colour Wheel



14070069



14070068




14070067




14070059



14070060




14070061



14070062



14070063



14070064



14070065



14070070

## Fixed Gobo Wheel, Detail



99011831