

Euphoria™

The Euphoria is a new effects projector in Robe's C&B series. It includes a rotating mirror prism for special visual effects, 9 gobo images with continual positioning, strobe effects with variable speed and a time and audio trigger. Euphoria was designed for club, bar and medium-sized event installations.



Technical Specification

Source

- Lamp: halogen lamp
- Base: GX5.3
- Approved model: Philips ELC/24V/250W, 1000 hrs life
- Lamp: halogen lamp
- Base: GX5.3
- Approved model: Philips ELC/24V/250W, 1000 hrs life

Optical system

- Manual focus
- Rotating triangular mirror
- Static triangular mirror
- Manual focus
- Rotating triangular mirror
- Static triangular mirror

Electrical specification and connections

- Wiring options: 100/120/208/230/240V, 50/60Hz
- Power consumption: 250VA at 230V/50Hz
- Wiring options: 100/120/208/230/240V, 50/60Hz
- Power consumption: 250VA at 230V/50Hz

Mechanical specification

- Height: 331 mm (13.0") - bracket in horizontal position
- Width: 326 mm (12.8")
- Depth: 285 mm (11.2")
- Height: 331 mm (13.0") - bracket in horizontal position
- Width: 326 mm (12.8")
- Depth: 285 mm (11.2")

Thermal specification

- Maximum ambient temperature (Ta): 40°C (104°F)
- Maximum surface temperature: 75°C (167°F)
- Maximum ambient temperature (Ta): 40°C (104°F)

- Maximum surface temperature: 75°C (167°F)

Control and programming

- Protocol: USITT DMX-512
- Control channels: 3
- Display: 3-digit LED display
- Protocol: USITT DMX-512
- Control channels: 3
- Display: 3-digit LED display

Electromechanical effects

- Gobo wheel: 9 static gobos, gobo shake effect
- Strobe effect with variable speed (max. 4 flashes/sec.)
- Rotating triangular mirror
- Gobo wheel: 9 static gobos, gobo shake effect
- Strobe effect with variable speed (max. 4 flashes/sec.)
- Rotating triangular mirror

Rigging

- Mounting bracket
- Mounting bracket