

FUSION™

This effect projector is fully DMX controllable; projects tightly focussed flower effects and other graphic effects; offers original gobo designs; includes a parabolic mirror reflector that rotates in both directions; a combined gobo/colour wheel with 14 positions plus open; comes with a powerful 250W halogen lamp (1000hrs life); a strobe effect and 0-100% digital dimming; "auto-trigger" or "music-trigger" mode for full flexibility.



Technical Specification

Source

- Lamp: Halogen lamp
- Base: GX5.3
- Approved model: Philips ELC/24V/250W, 1000 hrs life
- Lamp: Halogen lamp
- Base: GX5.3
- Approved model: Philips ELC/24V/250W, 1000 hrs life

Optical system

- Manual focus
- Parabolic mirror reflector
- Manual focus
- Parabolic mirror reflector

Electrical specification and connections

- Wiring options: 100/120/208/230/240V, 50/60Hz
- Power consumption: 250VA at 230V/50Hz
- Wiring options: 100/120/208/230/240V, 50/60Hz
- Power consumption: 250VA at 230V/50Hz

Mechanical specification

- Height: 331 mm (13.0") - bracket in horizontal position
- Width: 326 mm (12.8")
- Depth: 285 mm (11.2")
- Height: 331 mm (13.0") - bracket in horizontal position
- Width: 326 mm (12.8")
- Depth: 285 mm (11.2")

Thermal specification

- Maximum ambient temperature (Ta): 40°C (104°F)
- Maximum surface temperature: 75°C (167°F)
- Maximum ambient temperature (Ta): 40°C (104°F)
- Maximum surface temperature: 75°C (167°F)

Control and programming

- Protocol: USITT DMX-512
- Control channels: 3
- Display: 3-digit LED display
- Protocol: USITT DMX-512
- Control channels: 3
- Display: 3-digit LED display

Electromechanical effects

- Gobo wheel: 14 static gobos + open
- Strobe effect with variable speed (max. 4 flashes/sec.)
- Rotating parabolic mirror reflector
- Gobo wheel: 14 static gobos + open
- Strobe effect with variable speed (max. 4 flashes/sec.)
- Rotating parabolic mirror reflector

Rigging

- Mounting bracket
- Mounting bracket